

3M™ PRODUCT SELECTION GUIDE

PLASTICS: PVA, Polystyrene, Acetal, Prolane® Paint, EVA, Polyethylene, Polypropylene, Tedlar®, Teflon®

LOW SURFACE ENERGY

WHAT SUBSTRATE ARE YOU USING?

HIGH SURFACE ENERGY

METALS & GLASS: Copper, Aluminum, Zinc, Tin, Lead, Stainless Steel, Glass

PLASTICS: Kapton®, Phenolic, Nylon®, Alkyd Enamel, Polyester, Epoxy Paint, ABS, Polycarbonate, PVS Rigid, Noryl® Resin, Acrylic

CHOOSE 3M 300LSE
High Strength
Acrylic Adhesive

SMOOTH SURFACE

Rolls 9471LE

SHEETS 8132LE


TEXTURED SURFACE

Rolls 9472LE

SHEETS 8153LE

3M™ SPACER TAPE

Make-up of a typical Membrane Switch



CHOOSE 3M 200MP
High Performance
Acrylic Adhesive

SMOOTH SURFACE

Rolls 467MP

SHEETS 7952MP

SHEETS* 7962MP

TEXTURED SURFACE

Rolls 468MP

SHEETS 7955MP

SHEETS* 7965MP



This substrate information is provided as a guide. Formulation modifications or surface coatings can substantially alter surface energies.

* Has 140gsm Lay-Flat Poly-Coated liner for kiss cutting and selective die-cutting.